

T4S—R6W. 2nd Mer.

6	377	5	377	4	377	3	368	2	367	1	362
376	376-377		376-377		376		368		366		
7	376	8	375	9	375	10	368	11	366	12	362
374	374-376		374-375		374		368		366		
18	374	17	374	16	374	15	368	14	366	13	361
373	373-374		373-374		373-374		368		366		
19	373	20	373	21	372	22	367	23	365	24	361
372	372		372		372		367		365		
30	371	29	371	28	371	27	367	26	365	25	361
370	370-370		370-371		370		364		364		
31	370	32	369	33	369	34	364	35	363	36	361
370	370		369		369		364		363		

T5S—R6W. 2nd Mer

380	6	395	5	395	4	394	3	394	2	385	1	379
	393	393-395		393-395		394		394		384		
380	7	393	8	392	9	392	10	392	11	384	12	379
	393	391-393		391-392		391-392		392		384		
380	18	391	17	390	16	390	15	390	14	384	13	379
	391	389-391		389-391		390		390		383		
381	19	389	20	389	21	388	22	388	23	383	24	379
	389	387-389		388-389		388		388		383		
381	30	387	29	386	28	386	27	385	26	383	25	379
	387	387		386		386		385		383		
381	31	387	32	386	33	385	34	385	35	382	36	380
	381-382	381-382		381-382		381-382		381-382		382		

Township No 4 South of Range No 6 W. 2nd Mer.

Sept. 14 1805 Arrived at a Post Corner to Towns 48 & 49 Range 586 W.
2. ch. & 80. lbs. (A. Henricks notes call for 3. ch. & 29. lbs. S. W.)
East of the Post Corner to Towns 58 & 59 found the line run
N. but mistrusting that the posts were not set. proceeded set on
the said line;

North 1st Mile.

23. 14 Found a Post set.

40. 00 Set a Post from which a B. Oak 24. in. diam. bears S. 76.
E. 12. lbs. dist. & a Hickory 12. in. diam. bears N. 32. lbs. dist.

63. 54 Found a Post set.

80. 00 Set a Post from which a B. Gum 18. in. diam. bears N. 61.
E. 21. lbs. dist. & an Elm 12. in. diam. bears S. 23. E. 18. lbs. dist.
Good hill Land. Timber. Oak &c.

North 2nd Mile.

7. 50 A Pond 50. lbs. wide, course W.

16. 14 A Creek 50. lbs. wide; course W.

22. 98 Lost & bearings.

40. 00 Set a post from which a W. Oak 14. in. diam. bears S. 9. W.
14. lbs. dist. & a W. Oak 20. in. diam. bears N. 48. E. 18. lbs. dist.

63. 34 A Post & bearings

75. 00 Cut the Pond of a Run 5 lbs. S. W. & at 75. 55. cross'd it

80. 00 Set a Post from which a Gum 14. in. diam. bears S. 21. W. 7 lbs.
dist. & a B. Oak 36. in. diam. bears N. 7. E. 37. lbs. dist. Good
upland; good soil; Timber; Oak. Gum &c &c.

North 3rd Mile.

23. 83 A Post and bearings

40. 00 Set a Post from which a Gum 12. in. diam. bears S. 40. E. 32.
lbs. dist. & a W. Oak 14. in. diam. bears N. 15. W. 47. lbs. dist.

64. 09 A Post & bearings

74. 00 A Run 25. lbs. wide; course S. W.

80. 00 Set a post in a little Swamp; where a W. Oak 24. in. diam.
bears S. 16. W. 65. lbs. dist. & a Soft Maple 12. in. diam. bears N. 32.
E. 22. lbs. dist. Land as before Timber. G. pines, &c. &c.

North 4th Mile.

T. No. 4. S. Co. No 6. NW 2nd Mer.

24. 53 A Post & hearings.
 40. 00 Get a Post, from which a Hickory 8. in. diam. bears S. 38
 W. 14. lbs. dist. & a Do. 8. in. diam. bears S. 77. E. 30. lbs. dist.
 63. 90 A Post & hearings
 80. 00 Get a Post, from which a W. Oak 12. in. diam. bears S. 40
 E. 10. lbs. dist. & Yellow Oak 24. in. diam. bears N. 75. W. 10.
 lbs. dist. Rolling hill Land, Timber. Oak. &c.

North 5th Mile.

25. 59 A Post & hearings.
 32. 50 A Run resembling a Pond 50. lbs. wide; course W.
 34. 00 The Same; course E.
 37. 50 The same. course W.
 40. 00 Get a post, from which a Soft Maple 8. in. diam. bears S.
 76. E. 24. lbs. dist. & a Do. 22. in. diam. bears S. 65. W. 44. lbs. dist.
 119. 50 A Run 50 lbs. dist. appears to be a Swamp Drain; stagnant water
 51. 50 The Same; 52. 50. The Same. 53. 50 The same. 58. 75. The same
 66. 27 A Post & hearings
 73. 00 A Run. 74. 50. The same. 75. 50. The same; 76. 50 The same E.
 80. 00 Get a Sec. post, from which a W. Oak 18 in. diam. bears N.
 86. W. 40. lbs. dist. & a W. Oak 18. in. diam. bears S. 55. E. 8. lbs.

North 6th Mile

27. 46 A Post & hearings
 34. 75 A Trace from S. E. to N. W.
 40. 00 Get a Post from which a Hickory 11. in. diam. bears N. 40. E.
 17. lbs. dist. & a B. Jack 14. in. diam. bears S. 67. W. 10. lbs. dist.
 68. 39 A Post Marked for Town corner being brushy & heavy.
 Level Land; heavy Soil.
 71. 59 To Town corner

- South Between Sec. 25. and 30 T. 34. S. R. 5. W. from 1/2 mile post
 17. 36 Turners line.
 40. 00 Get a Post from which a B. Jack 20. in. diam. bears N. 46. E.
 42. lbs. dist. & a W. Oak 40. in. diam. bears S. 14. W. 62. lbs. dist.

- South Between Sec. 26 & 31. Towns 3. & 3. South Ranges 5. & 6. West.

T. No 4. S. R. N. C. W. 2nd M.

2. 15 In a post, defaced it for fear of inc.
40. 00 Set a post from which a B. Jack 11. in. diam. bears S 24. W. dist. 46. Soft Maple 10. in. diam. bears N. 54. E. 33. lbs. dist.
42. 70 Set a post for Quarter Sec. defaced it.
80. 00 Set post corner to ^{Truss} 35. & 36. S. Ranges 5. & 6. W. from which Hickory 8. in. diam. bears E. S. N. 31. lbs. dist. & a P. C. in. in diam. bears E. S. W. 40. lbs. dist. First half brush & heavy. 2nd half open hill land. Measured on the S. to a Post & Marking for Town Corner, found it to be 3 ch. & 20. lbs. dist. added on the measure of the 6th mile N. between Truss 4. & 4. Ranges. 4. & 5. (172) to 6 ch. & 39. lbs. which makes 71. ch. & 69. lbs. as mentioned before in the above 6th mile of T. M.) Then down the post defacing the Mark. continued S. between Truss 4. & 4. S. & Ranges. 5. & 6. W.) & defaced all the posts that I set myself set, for fear that they might be taken as the true ones.

September 15th 1805.

- West From the post S. E. corner to T. 4. S. R. C. W.
32. 40 A Run 5. lbs. wide. Course N; good water
40. 00 Set a Post from which a W. Oak 20. in. diam. bears E. 55. E. 18. lbs. dist. & a W. Oak 21. in. diam. bears S. 60. W. 9. lbs. dist.
44. 62 A Post & borings
80. 00 Set a post corner to Gr. 35. & 36. from which an Elm 12. in. diam. bears S. 39. E. 21. lbs. dist. & an Elm 12. in. diam. bears S. 25. W. 30. lbs. dist. Rolling hill Land. Good soil. Timber. Oak. Ash. &c. &c.

North Between Gr. 35. & 36. T. 4. S. R. C. W.

40. 00 Set a post from which a Soft Maple 14. in. diam. bears S. 33. E. 25. lbs. dist. & a Maple 14. in. diam. bears N. 55. W. 7. lbs. dist.
50. 00 A Branch 100. lbs. wide. Course S. 85. W.
58. 00 A Swamp 4. 50. lbs. wide. Course N. E. & S. W. made an offset of 2. ch.
80. 00 Set post corner to Gr. 25. & 26. 35. & 36. from which a W. Oak 20. in. diam. bears S. 60. W. 35. lbs. dist. & a Soft Maple 12. in. diam. bears N. 38. E. 40. lbs. dist. First half mile rolling hill Land good 2nd half, Low Flat clay soil.

Sep. 19th 1805

S. N 4. S. R. N 6. W. 2nd Mer

- East Between Sec? 25. & 36.
 11. 30 A Swamp 4 ch? Offers 3 ch? S.
 21. 00 The same Swamp. 2 ch? wide
 27. 00 A Creek 100. lbs. wide. Course S. 20. W.
 40. 00 Set a Temporary Gr. Sec post.
 79. 70 Set 55. lbs S. of the post. Sem. cedar, scrub flats. Oak, Elm &c.
-

- West On the True line.
 39. 55 Set a Gr. Sec Post. on true line from which an Elm 18 in? diam? bears N. 65. W. 12. lbs dist? & a B. Oak 18. in? diam? bears S. 33. & 46. lbs dist?
-

- West On Tutors line S. side of Sec 35. S 4 S R. 6. W.
 6. 35 A Post & bearings
 46. 00 Set a Post from which a Honey Locust 18. in? diam? bears N. 40. W. 16. lbs. dist? & a White Oak 8. in? diam? bears S. 56. & 15. lbs. dist?
 48 19 Reeler's Post
 55. 00 Cut Gr. edge of a little Swamp.
 64. 00 A Creek 100. lbs. wide; Course S. W.
 80. 00 Set Post corner to Sec? 34. & 35. S. 4. S. R. 6. W. from which a B. Oak 14. in? diam? bears N. 79. W 77. lbs. dist? & a B. Oak 14 in? diam? bears N. 55. W. 65. lbs. dist? Good level upland; or high creek bottom. Timber. Oak & Hick 4.
-

- North Between Sec? 34. and 35. S. 4. S. R. 6. W.
 40. 00 Set a Post, from which a W. Oak 14. in? diam? bears N. 42. E. 48. lbs. dist? & a Poplar 24. in? diam? bears S. 42. W. 6 lbs. dist?
 50. 00 Set a post. corner to Sec? 26. & 27. 34. & 35. from which a Maple 14. in? diam? bears S. 26. W. 8. lbs. dist? & an Elm 6. in? diam? bears N. 31. E. 37. lbs. dist. - 1st half mile level upland; 2nd half rolling hill. land.
-

- East Between Sec? 26. & 35. on a Random line
 2. 90. A Run 12. lbs. wide; Course S. E.
 40. 00 Set Temporary post.
 80. 00 Hit the Post - 1st half mile good hill Land. Timber. Oak.

Spice &c. 2nd half brush Shats. Timber; Oak Hick^y Elm &c.

West	On the true line	Sept. 20 th 1805.
40. 00	Set post: from which a W. Oak 20. in ² diam ^r bears N. 64. E. 8. lbs. dist & a Gum 10. in ² diam ^r bears S. 3. E. 42. lbs. dist	
North	Between Sec ^s 25. & 26. T. 4. S. R. 6 W. Run & established but finding an error in the line afterwards. erased the Post.	
East	Random Between Sec ^s 24 & 25.	
29. 50	& a Run 12. lbs. wide course: S. 20. E.	
46. 10	Temporary post	
74. 20	A Creek 80 lbs. wide. Course S. W.	
79. 50	Intersected N. & S. line 2.32. lbs. S. of the Post. Low Creek Map. Timber. Oak, Elm, &c.	
West	Concealed & established a Post. but afterwards razed it.	
North	Between Sec ^s 25. & 26; remeasuring	
40. 00	75. lbs. N. of the Post. from which a Sweet Gum 24 in ² diam ^r bears S. 3. E. 9. lbs. dist & a S. Oak 20 in ² diam ^r bears N. 11. E. 56. lbs. dist	
80. 00	175. lbs. N. of the Post set before; from which a W. Oak 20 in ² diam ^r bears N. 2. W. 21. lbs. dist & a W. Oak 12. in ² diam ^r bears S. 10. E. 17. lbs. dist. Good Upland - Timber, Spice bush.	
East	Between Sec ^s 24 & 25. T. 4. S. R. 6. W.	
39. 75	110. lbs. N. of the Post. set before. from which a Gum 10. in ² diam ^r bears South 37. lbs. dist & a W. Oak 14. in ² diam ^r bears N. 51. W. 13.	
79 50	Post on the Range line	Sept. 20 th 1805.
North	Between Sec ^s 23 & 24. T. 4. S. R. 6. W.	
40. 00	Set a Post from which a W. Oak 28 in ² diam ^r bears S. 17. W. 28 lbs. dist & a W. Oak 28. in ² diam ^r bears N. 12. W. 34. lbs. dist.	
77. 60	A Run 20. lbs. wide. Course. E.	
80. 00	Set Post corner to Sec ^s 23. 24. 13. & 14. from which an Elm 20 in ² diam ^r bears N. 59 W. 25. lbs. dist & a Hickory 8. in ² diam ^r bears S. 61. E. 30. lbs. dist. 1 st rate hill. Land; Oak. Spice &c timber.	

T. N 4. S. R. N 6. W 2nd Mer.

East Random line between Sec^s 13. & 14. T. 4. S. R. 6. W.
 40. 00 Set Temporary Post.
 67. 50 A Swamp 150. lks wide; Course S.
 75. 50 A Creek 80. lks wide; Course S.
 79. 80 50. lks. S. of the Post on R. line Low & Mt; Oak & S. Maple

West On true line.
 39. 90 Set a G^r Sec post from which a Maple 10. in^d diam^r bears
 S. 77. W. 33. lks. dist & a Gum 12 in^d bears S. 10. E. 19 lks. dist.
 North Between Sec^s 13. & 14. T. 4. S. R. 6. W.
 40. 00 Set a Post, from which a W. Oak 12 in^d diam^r bears S. 66.
 E. 43 lks dist & a W. Oak 12 in^d diam^r bears S. 40. W. 17 lks. dist.
 80 00 Set a Post corner to Sec^s 11. 12. 13. & 14. from which a W.
 Oak 18 in^d diam^r bears S. 52. W. 36. lks. dist & a W. Oak 6. in^d
 diam^r bears N 70. E. 31. lks. dist First rate hill Land.
 Timber. Oak. Spice, &c Sept 22nd 1805.

East Between Sec^s 12. & 13. on a Random line;
 40. 00 Set a Temporary Post.
 50. 00 A Creek 80. lks wide. Course S.
 80. 09 Range line 22. lks. S. of the Post. 2nd rate hill land.
 Timber. W. Oak & Hickory.

West On true line.
 40. 05 A Gum 6. in^d diam^r for G^r Sec. Corner.
 North Between Sec^s 11. & 12. T. 4. S. R. 6. W.
 40. 00 Set a G^r Sec. post from which a B. Jack 8. in^d diam^r bears
 S. 26. E. 12. lks. dist & a Do. 18. in^d diam^r bears N 44. W. 24. lks. dist.
 58. 44 A Run 15. lks wide. Course S. 80. E. very brushy & swampy.
 80. 00 A Maple 16 in^d diam^r bears corner to Sec^s 1. 2. 11. & 12. - 1st half.
 Good hill Land 2nd half brushy Flats. Timber. B. Jack. Elm
 Soft Maple &c &c.

East Between Sec^s 1. & 12. on a Random line.
 40. 00 Temporary G^r Sec. Post.

T. N. 4. S. R. N. 6. W. 2nd Mer.

76. 00 A Creek 40 lbs. wide; Course S.
 20 00 Range line 20 lbs. S. of the Post. Brushy, Birch, Oak & Hick^o.

West On the true line

46. 00 Set of the Post from which a Hickory 14 in. diam. bears
 N. 12. E. 24 lbs. dist & a W. Oak 18 in. diam. bears S. 31. W. 7 lbs. dist.

North Between Sec^s 1. & 2. T. 4. S. R. 6. W.

13. 50 A Trace. Leading W.

40. 00 Set of the Post from which a Gum 8 in. diam. bears N. 24.
 W. 30 lbs. dist & a Hickory 7 in. diam. bears S. 5. E. 14 lbs. dist.
 Land low & Brushy.

72. 27 Town line at the Post. Low brushy land. Timber Oak & Jack &c.

North Between Sec^s 26. & 27.

16. 00 A Brook 15 lbs. wide; Course S. 80. E.

40. 00 An Ash 8 in. diam. for of the corner.

80. 00 Set Post corner to Sec^s 22. 23. 26. 27. from which a W. Oak
 24 in. diam. bears N. 18. W. 34 lbs. dist & a Gum 10 in. diam. bears
 S. 10. W. 14 lbs. dist. Gentle hills; Timber Oak &c &c.

East Between Sec^s 23. & 26. on a Random line.

40. 00 Set Temporary Post.

48. 00 A Brook 15 lbs. wide. Course N.; Good Water.

80. 00 Tell 10 lbs. S. of the Post. Gentle hills. & well timbered with Oak &c.

West On True line.

46. 00 A W. Oak 10 in. diam. bears N. 35. W. 38 lbs. dist & a W. Oak
 5 in. diam. bears S. 62. E. 18 lbs. dist.

North Between Sec^s 22. & 23. T. 4. S. R. 6. W.

40. 00 Set a half mile post; from which a W. Oak 12 in. diam. bears

S. 37. E. 33 lbs. dist & a W. Oak 20 in. diam. bears N. 38. W. 11 lbs. dist.

80. 00 Set post corner to Sec^s 14. 15. 22. 23. from which a W. Oak 10
 in. diam. bears N. 82. W. 20 lbs. dist & a Dogwood 6 in. diam. bears
 S. 61. E. 11 lbs. dist. Good W. land. Timber W. & B. Oak &c.

Nov 25th 1805.

T. 4. S. R. 6. W. 2nd Mer.

East Between Sec. 14. & 23. T. 4. S. R. 6. W.
 40. 00 Set Temporary Gr. Sec. post.
 78. 00 A Creek 20 lbs. wide, Course S.
 80. 00 Set 20 lbs S. of the Post, 2nd rate land. Oak Soft Maple &c. &c.

West On true line
 110. 00 A M Oak 15. in? diam? for Gr. Sec. corner.

North Between Sec. 14. & 15. Over 2nd rate Upland.
 40. 00 A Hickory 7. in? diam? for Gr. Sec. corner.
 80. 00 Set Post corner to Sec. 10. M. 14. & 15. from which a Y. Oak.
 20. in? diam? bears S. 7. W. 27. lbs. dist. & a W. Oak 30. in? in
 diameter bears N. 31. E. 25. lbs. dist. 2nd rate Upland.
 Timber. B. M. Oak & Hickory &c

East Between Sec. 11. & 14. T. 4. S. R. 6. W.
 40. 00 Set Temporary Gr. Sec. post. - Rolling Land
 80. 00 Set - lbs S. of the Post. Rolling Land. M Oak timber.
 West On true line.
 40. 00 Set Gr. Sec. post. from which a Hickory 10. in? diam? bears
 S. 59. E. 14. lbs. dist. & a Dogwood 10. in? diam? bears N. 78. W. 19. lbs.

North Between Sec. 10. & 11. T. 4. S. R. 6. W.
 40. 00 A B. Oak 20. in? diam? for Gr. Sec. corner; 2nd rate Upland
 80. 00 Set Post corner to Sec. 2. 3. 10. & 11. from which a Gum 12.
 in? diam? bears S. 83. E. 20. lbs. dist. & a B. Oak 5. in? diam?
 bears N. 67. W. 25. lbs. dist. 2nd rate hill Land & very
 brushy. Timber. W. & B. Oak.

East On a Random line Between Sec. 2 & 11. T. 4. R. 6. W.
 40. 00 Set a Temporary Post
 80. 00 Intersecting N. & S. line 75. lbs. N. of the Post, very brushy.
 Timber. M. Oak. &c.
 West On true line.
 110. 00 A B. Oak 16. in? diam? for Gr. Sec. corner. Nov 26th 1865.

North Between Sec. 2. & 3. T. 4. S. R. 6. W.

T. No 4. S. R. No 6. W. 2nd Mer.

40. 00	Get a Post from which an R. Oak 16. in? diam? bears N. 17. W. 15. lbs. dist. & a Do. 20. in? diam? bears S. 4. W. 26. lbs. dist.
72 95	Down line at Post. corner to Sec? 2. 3. 35. & 36. 2 nd Rate Upland. Timber. W. & S. Oak
<hr/>	
West	On the South Boundary of Sec. 34.
15. 00	A Swamp 450. lbs. wide
18. 00	A Swamp. 150 lbs. wide.
40. 00	Get a Off? Sec. Post; from which an Elm 12 in? diam? bears E. 30. E. 27. lbs. dist. & a Hickory 14. in? diam? bears S. 66. W. 19. lbs.
59. 00	A Creek 100 lbs. wide; course S.
70. 50	A Creek 100 lbs. wide; course S.
80. 00	Get Post corner to Sec? 33. & 34. from which a Sweet Gum 20 in? diam? bears S. 76. E. 8. lbs. dist. & a S. Gum 16. in? diam? bears S. 73. W. 18. lbs. dist. Wet Swampy land; Timber. Oak, Gum, &c. &c.
<hr/>	
North	Between Sec? 33. & 34. T. 4. S. R. 6. W.
4. 50	A Creek 111 lbs. wide course S. E.
31. 00	A Ditto 111 lbs. wide; course W.
40. 00	Get a 44. Sec. Post from which a Poplar 6. in? diam? bears N. 11. W. 23. lbs. dist. & a Birch 36. in? diam? bears S. 4. W. 24 lbs. dist.
50. 00	Get post corner to Sec? 27. 28. 33. & 34. from which a Hick? 10 in? diam? bears S. 7. E. 17. lbs. dist. & a W. Oak 17 in? diam? bears N. 24. W. 37. lbs. dist. 2 nd rate Land. Oak, Poplar & Birch, Timber
<hr/>	
West	On the S. side of Sec. 33. T. 4. S. R. 6. W.
40. 00	Get Post from which a W. Oak 13. in? diam? bears N. 63. W. 40. lbs. dist. & a W. Oak 14. in? diam? bears S. 36. E. 43 lbs. dist.
67. 00	A Creek 20. lbs. wide; course S.
80. 00	Get Post corner to Sec? 33. & 32. from which a W. Oak 12 in? diam? bears N. 21. E. 29. lbs. dist. & a Dogwood 6. in? diam? bears N. 14. W. 8. lbs. dist. Wet land. Timber. Gum Hickory Oak &c. &c.
<hr/>	
North	Between Sec? 32. & 33. T. 4. S. R. 6. W.
40. 00	A R. Oak 6. in? diam? for Off? Sec. Corner; (Wet land) some gullies
50. 00	Get post corner to Sec? 28. & 29. 32. & 33. from which a W. Oak 12. in? diam? bears N. 43. W. 14. lbs. dist. & a Y. Oak 16. in? diam? bears

T. 4. S. R. 6. W. 2nd Mer.S. 61. E. 40 lbs. dist. Gum. as the 1st mile. Nov. 27th 1805.

West On the S. side of Sec. 32. T. 4. S. R. 6. W.

40. 00 A Hickory 8. in. diam. for Op. Sec. Corner.

80. 00 Get Post Corner to Sec. 31. & 32. from which a W. Oak 18. in. diam. bears N. 20. E. 19. lbs. dist. Van Elm 8. in. diam. bears S. 45. W. 17. lbs. dist. Rolling Land. Timber Oak &c.

North Between Sec. 31. & 32. T. 4. S. R. 6. W.

40. 00 A Crooked W. Oak 14. in. diam. Corner to Op. Sec.

80. 00 Get Post Corner to Sec. 29. 30. 31. & 32. from which a B. Oak 12. in. diam. bears N. 2. W. 27. lbs. dist. & a W. Oak 18. in. diam. bears S. 48. E. 36. lbs. dist. Brushy Upland

West Between Sec. 6. & 31. on the S. side of Sec. 31.

40. 00 A Hickory 10. in. diam. for Op. Sec. Corner.

100. 50 Doctors Post Corner to Towns 5 & 5. Ranges 6. & 7. Rolling Land; Timber. Oak Gum. Dogwood &c. &c.

West Between Sec. 30. & 31. S. 14. S. R. 6. W.

40. 00 Get Op. Sec. Post. from which a W. Oak 30. in. diam. bears N. 43. E. 52. lbs. dist. & a W. Oak. bears N. 65. W. 34. lbs. dist.

Wet hill Land;

78. 37 Intersected Range line at the Post. Gentle rises & Creek Flats.

West Random line. Between Sec. 29. & 32. T. 4. S. R. 6. W.

10. 00 A Creek 20 lbs. wide; Course S. E.

40. 00 Get Temporary Op. Sec. Post. Oct. 28th 1805.

80. 00 Intersected N. & S. line. 50. lbs. N. of the Post. Rolling Upland

East Between Sec. 28. & 33. on a Random line.

40. 00 Get Temporary Op. Sec. Post.

80. 00 Hit the Post on the N. & S. line. Rolling Upland.

East Between Sec. 27. & 34. on a Random line.

1. 50 A Creek 80. lbs. wide; Course S. 80. E. over Creek Bottom.

40. 00 Get a Temporary Op. Sec. Post.

T. N. 4. S. R. N. C. W. 2nd Mer.

80. 00	Intersecting N. & S. line 37. lks. N. of the Post. Creek bottom Timber. Oak. Maple. &c. &c.
West	On true line.
40. 00	A Gum 16. in? diam? for Gr. Corner.
North	Between Gr. 27. & 28. T. 4. S. R. C. W.
19. 00	A Creek 110 lks. wide, bears G. 80. E.
23. 00	A Creek 110 lks. wide, bears S. 80. W.
40. 00	A Knotched Maple 18. in? diam? for Gr. Corner.
78. 50	A Creek 110 lks. wide. Course E.
80. 00	Get Post Corner to Gr. 21. 22. 27. & 28. from which a Maple 7. in? diam? bears G. 30. W. 14. lks. dist? & an Elm 15. in? diam? bears G. 88. E. 30. lks. dist? Gentle hills. Timber. Oak &c. &c.
West	Between Gr. 28. & 33. on a true line
40. 00	A Cherry 8. in? diam? bears South 11. lks. & a W. Oak 10. in? diam? bears G. M. E. 49. lks. dist?
80. 00	To Gr. Corner.
North	Between Gr. 28. & 29. T. 4. S. R. C. W.
40. 00	A W. Oak 4. in? diam? bears N. 11. lks. dist? & a B. Oak 10. in? diam? bears G. 70. E. 50. lks. dist?
80. 00	Get a Post Corner to Gr. 20. 21. 28. & 29. from which a Hickory 16. in? diam? bears G. 62. W. 27. lks. dist? & a W. Oak 24. in? diam? bears N. 54. E. 20. lks. dist? 2 nd rate hull Gang. Oct. 29. 1804
West	Between Gr. 29. & 32. on a true line. T. 4. S. R. C. W.
40. 05	A W. Oak 20. in? diam? bears G. 2. E. 46. lks. dist? & a B. Oak 16. in? in diam? bears N. 46. E. 17. lks. dist?
80. 10	To Gr. Corner.
North	Between Gr. 29. & 30.
40. 00	A Hickory 14. in? in diam? for Gr. Gr. Corner; brushy upland.
50. 00	Get Post Corner to Gr. 19. 20. 29. & 30. from which a Gum 12 in? diam? bears N. 40. E. 4. lks. dist? & a Dogwood 9.8. in? diam? bears G. 79. W. 6. lks. dist? Brushy upland.

T. No 4. G. R. No 6. W. 2nd Mer.

West Between Sec. 19. & 30. T. 4. S. R. 6. W.
 40. 00 A Dogwood 5. in. diam. for Gt Sec. Corner.
 79. 86 Hit the Post on Range line; On R. line very good M. plant.

East Between Sec. 20. & 29. on a Random line.
 40. 00 Set Temporary Gt Sec. Post. Rollinghill Land.
 79. 00 Set 15. lbs. G. of the Post. Good hill Land. Timber Oak &c.

East Between Sec. 21. & 28. on a Random line;
 40. 00 Set Temporary Post
 77. 00 A Creek 80. lbs. wide. Course S. 70. E.
 80. 00 Hit the Post. Land as the last. Oct. 30th 1805.

East Between Sec. 22. & 27. on a Random line
 11. 30 A Creek 100 lbs. wide; Course N 20. E.
 14. 00 Same Creek. Course S.
 18. 00 The Same Creek. Course N 20. E.
 21. 00 The Same Cr. Course S. 10. E
 40. 00 Set Temporary Quarter Sec. post.
 80. 30 Hit the Post on the N. & G. line. In the hills. Oak timber.

West On true line. T. 4. S. R. 6. W.
 40. 25 Set Gt Sec. Post, from which a Hickory 10. in. diam. bears
 S. 59. W. 29. lbs. dist. & a Dogwood 4 in. diam. bears N. 62. E.
 8. lbs. dist.

North Between Sec. 21. & 23. T. 4. S. R. 6. W.
 4. 00 A Swamp 60 lbs. wide. E. & W.
 9. 00 The Same swamp. ---
 40. 00 A W. Oak 20 in. diam. for Gt Sec. Corner.
 80. 00 Set Post corner to Sec. 15. 16. 21. & 22. from which a W. Oak
 15. in. diam. bears S. 18. W. 20. lbs. dist. & a W. Oak 12. in.
 diam. bears N. 14. E. 24. lbs. dist.

West On true line between Sec. 21. & 28.
 40. 00 A B. Oak 30. in. diam. for Gt Sec. Corner.

T. No 4. S. R. No 6. W. 2nd Mer.

North Between Sec^s 20. & 21. T. 4. S. R. 6. W.
 70 00 A Dogwood 7. in? diam? for Gr^e Sec. Corner; Gentle hills. Oak &c.
 80. 00 Set Post corner to Sec^s 16. 17. 20 & 21. from which a Sap-
 res 4. in? diam? bears S. 72. W. 17. lks. dist & a Gum 14. in? diam?
 bears N. 49. E. 20. lks. dist; Gentle hills. Timber Oak &c. &c.
 West On true line between Sec^s 20. & 29.
 39 50 A Dogwood 7. in? diam? for Gr^e Sec. Corner. Oct 31st 1805

North Between Sec^s 19. & 20. T. 4. S. R. 6. W.
 40. 00 Set a Gr^e Sec. Post from which Hickory 13. in? diam? bears
 S. 49. W. 34. lks. dist & a B. Oak 30. in? diam? bears N 29.
 E. 29. lks. dist
 80. 00 Set Post corner to Sec^s 17. 18. 19. 20. from which a B. Jack
 in? diam? bears N. 60. E. 13. lks. dist & a Y. Oak 10. in? diam?
 bears S. 60. W. 29. lks. dist; Very brushy land.

West Between Sec^s 18. & 19. T. 4. S. R. 6. W.
 40. 00 Set a Post from which a Scrub Oak 7. in? diam? bears N. 58. E.
 54. lks. dist & a Scrub Oak 6. in? diam? bears S. 83. W. 47. lks. dist
 3 rods land. Small Timber. & thick brush.
 79. 30 Intersection Range line 30. lks. S. of the Post. & Set a Post corner
 to Sec^s 18. & 19. from which a Scrub Oak 10 in? diam? bears N.
 47. E. 45. lks. dist & a Do. 12. in? diam? bears S. 50. W. 54. lks. dist
 Land brushy & poor.

East Between Sec^s 17. & 20. on a Random line.
 32. 50 A Brook 15. lks. wide. course N. 20 E.
 40. 00 Set a Temporary Gr^e Sec. Post.
 80 00 29. lks. S. of the Post on the N. & S. line; Brushy poor land

East Random line between Sec^s 17 & 20. (16 & 21)
 40. 00 Set Temporary Gr^e Sec. Post.
 72 50 A Brook 100 lks. wide. Course S. E.
 80. 00 2.3. lks. N. of the Post. Brushy land;

East Between Sec^s 15. & 22. on a Random line.
 40. 00 Set a Temporary Quarter Sec^s Post.

T. No 4. S. R. No 6. W. 2nd Mer.

40. 49 Intersecting N. & S. line 51. lks. S of the Post. Land as the last.
West On true line.

110. 24 A Maple 8. in? diam? for G^o Sec. Corner.

North Between Sec? 15. & 16. T. 4. S. R. 6. W.

40. 00 A W. Oak 20. in? diam? for G^o Sec. Corner, 2nd rate creek bottom

53. 00 A Creek 100. lks. wide, course W.

64. 50 Set the N. Edge of a Creek 100. lks. wide, runs S. E.

80. 00 A B. Oak 6. in? diam? Corner to Sec? 9. 10. 15. & 16.

2nd rate Creek Bottom. Timber. Oak &c.

West On true line between Sec? 16. & 21. T. 4. R. 6. W.

40. 00 A Hickory 5. in? diam? bears N. 10. lks. dist? & a W. Oak 10.
in? diam? bears S. 11. E. 11. lks. dist? Dec 1st 1805.

North Between Sec? 16. & 17.

40. 00 A B. Oak 4. in? diam? for 1/4 Sec. Corner, over gentle hill Land.

80. 00 Set Post Corner to Sec? 8. 9. 16. 17. from which a course &
B. Jack 14. in? diam? bears S. 75. E. 14. lks. dist? & a Cherry 4
in? diam? bears S. 32. W. 19. lks. dist? Over gentle hill Land.

West On true line Between Sec? 17. & 20. T. 4. S. R. 6. W.

40. 00 Set Post for 1/4 Sec. Corner, from which a B. Oak 8. in? diam?
bears S. 58. E. 14. lks. dist? & a W. Oak 20. in? bears S. 82. W. 23. lks.

North Between Sec? 17. & 18.

40. 00 A B. Oak 10. in? diam? bears S. 16. E. 16. lks. dist? & a W. Oak
18. in? diam? bears S. 11. E. 49. lks. dist?

58. 00 A Creek 15. lks. wide, course N. 80. E.

80. 00 Set Post in Barrens no timber for Post or bearing.
A Brushy & Briery thickets.

West On a true line Between Sec? 7. & 18. T. 4. S. R. 6. W.

40. 00 A B. Jack 18. in? diam? Corner to G^o Sec.

78. 76 Intersecting Range line a post. Brushy. Oak, Timber.

East Between Sec? 8. & 17. on a Random line.

T. 4. S. R. No. 6. W. 2nd Mer.

40. 00	Set a Temporary Gr. Sec. Post.
60. 00	A Creek 50 lbs. wide; Course N. 60. E.
79. 75	Intersected N. & S. line 20. lbs. N. of the Post. & continues thicket of Brush & Briars.
East	Between Sec. 9. & 16 on a Random line
5. 00	A Creek 44. lbs. wide Course S.
7 00	The same Creek — Course N. 60. E.
11. 00	The same Creek runs S.
40. 00	Set a Temporary Post.
79. 25	Intersected the N. & S. line at Post corner to Sec. 9. 10. 15. & 16. Very Brushy.
East	Between Sec. 10. & 15. on a Random line.
2. 50	A Creek 100 lbs. wide. Course S. 20. E. Creek flats.
40. 00	Set a Temporary Gr. Sec. Post.
79 90	Sec. Post. Healthy Land. Timber W. & B. Oak. &c. &c. First half mile Creek flats. 2 nd half mile healthy. Oak. &c
West	On true line. Dec. 2 nd 1805.
39. 95	Gr. Sec. Post. from which a Hickory 10. in. diam. bears S. 1. E. 14. lbs. dist. & a Do. 6. in. diam. bears N. 2. E. 32 lbs. dist.
North	Between Sec. 9. & 10. T. 4. S. R. 6. W.
1 00	A Creek 100 lbs. wide Course E.
8. 00	Just the edge of a Creek 40. lbs. Course S. W.
12. 50	A Creek 90. lbs. wide. Course N. W.
28. 00	A Creek 30. lbs. wide Course E.
40. 00	A Gum 5. in. diam. for Gr. Sec. corner.
50. 00	Set Post. corner to Sec. 3. 4. 9. 10. from which a B. Jack 15. in. diam. bears S. 3. E. 17. lbs. dist. & a B. Jack 8. in. in diam. bears N. 14. E. 6. lbs. dist. Brushy, Low. & Swampy.
West	On true line Between Sec. 9 & 16. T. 4. S. R. 6. W.
39. 62	A W. Oak 15. in. diam. for Gr. Sec. corner.
North	Between Sec. 8. & 9. T. 4. S. R. 6. W.

T. No 4. S. No 6. W. 2nd Mer.

2. 00 A Creek 30. lbs. wide. Course S. E.
 40. 00 A B. Jack 4. in. diam. for Gr. Sec. Corner.
 80. 00 Set Post Corner to Sec. 4. 5. 8. & 9. from which a Sassafras.
 10. in. diam. bears S. 14. E. 10. lbs. dist. & a Do. 8. in. diam.
 bears N. 40. W. 15. lbs. dist. Brushy Land.

- West On true line between Sec. 8. & 17. T. 4. S. No 6. W.
 39. 87 A B. Oak 6. in. diam. bears N. 10. lbs. dist. & a W. Oak.
 10. in. diam. bears S. 10. E. 49. lbs. dist.

- North Between Sec. 7. & 8. T. 4. S. No 6. W.
 110. 00 Set a Post; from which a W. Oak 17. in. diam. bears N. 85. W.
 8. lbs. dist. & a B. Oak 8. in. diam. bears S. N. E. 28. lbs. dist.
 80. 00 A B. Jack 10. in. bears Corner to Sec. 5. 6. 7. & 8. & a Dogwood
 6. in. diam. bears S. 60. W. 16. lbs. dist. Poor brushy Land.

- West Between Sec. 6. & 7. T. 4. S. No 6. W.
 Post Corner to Gr. Sec. from which a W. Oak 10. in. diam. bears
 S. 40. W. 14. lbs. dist. & a B. Gum 18. in. diam. bears N. 5. 6. E. 30. lbs.
 78. 00 Intersecting Range line 60. lbs. N. of the Post Corner to Sec. 1. &
 12. T. 4. S. No 7. W. Set post corner to Sec. 6. & 7. from which
 A B. Jack 6. in. diam. bears S. 73. E. 6. lbs. dist. & a Sassafras
 4. in. diam. bears N. 24. W. 14. lbs. dist. 2nd rate hill land. Oak

- East Between Sec. 5. & 8. on a Random line.
 110. 00 Set Temporary Gr. Sec. Post.
 80. 00 Intersecting the N. & S. line 20. lbs. N. of the Post. 2nd rate
 Land. hilly. Timber. Oak &c.

- East Between Sec. 4. & 9. on a Random line.
 40. 00 Set a Temporary Gr. Sec. Post.
 80. 00 Intersecting N. & S. line 39. lbs. N. of the Post. Brushy
 Land. December 3rd 1865.

- East Random line Between Sec. 3. & 10. T. 4. S. No 6. W.
 33. 50 A Creek 100. lbs. wide. Course S.
 40. 00 Temporary Post.

T. N. 4. S. R. N. O. W. 2nd Mer.

80. 00 Set the Post on the N. & S. line. 2nd rate hill Land; Oak &c.

West On true line Between Sec^s 3 & 4. T. 4. S. R. 6. W.

40 45 A B. Oak 5. in. diam. for Gr^e Sec Corner

North Between Sec^s 3 & 4. T. 4. R. 6.

16. 00 A Tree.

40. 00 A B. Jack 8. in. diam. for Gr^e Sec. Corner

73 90 Town line 40. lks. W. of the Post. Set Post corner to Sec^s 3 & 4. from which a B. Jack 10. in. diam. bears S. 7 E. 23. lks. dist. & a B. Oak 12. in. diam. bears N. 17. W. 43. lks. dist. 3rd rate Land. Berries. Brush. & Grape vines &c.

West On true line Between Sec^s 4 & 9.

40, 00 A B. Jack 7. in. diam.

80, 00 To Sec. Corner.

North Between Sec^s 4 & 5. T. 4. S. R. 6. W.

40. 00 Set a Gr^e Sec Post on a Brushy Barren.

74. 30 Intersected Town line 52. lks. West of the Post; Set Post corner to Sec^s 4 & 5. from which a Grey Oak 14. in. diam. bears S. 34. W. 28. lks. dist. & a B. Jack 4. in. diam. bears N. 4. E. 16. lks. dist. Poor brushy land, across the heads of runs S. E.

West On true line between Sec^s 5 & 8.

40. 00 Set a Post from which a W. Oak 24 in. diam. bears N. 17. W. 11. lks. dist. & a Hickory 5. in. diam. bears S. 9. W. 12. lks. dist.

North Between Sec^s 5 & 6. T. 4. S. R. 6. W.

40. 00 The Gr^e Sec. Post fell in a thicket of Brush. — no timber

79. 59 Town line. 60. lks. West of the Post; where a Hickory 16. in. diam. to corner to Sec^s 5 & 6. Poor & Brushy Land.

Dec. 14. 1865.

Surveyed by Augustus Stone.

I hereby Certify that the foregoing transcript of field notes
 of Township N. 4 South, of Range N. 6 W. 2. Mer. Indiana
 has been compared with the original notes in this office
 and found to be correct.

Surveyor General's Office

Connat. Sept. 10. 1839

W. B. Lewis Sur. Genl.